

8

Indirect Economic Benefits of Transport Infrastructure Investments

JAN OOSTERHAVEN AND J. PAUL ELHORST¹

Abstract

Estimating the spatial economic impacts of transport infrastructure is an unresolved issue that plagues economic science to this day. This contribution applies to indirect economic effects and benefits. After a discussion of various methodological approaches available to tackle this complicated problem, it is concluded that a spatial computable general equilibrium (SCGE) approach offers the best perspective for future research. To illustrate this, empirical results based on an SCGE model, applied to four different magnetic levitation (Maglev) proposals for the Netherlands are presented. One of the main conclusions is that a simple uniform multiplier to add the additional economic benefits to the direct transport benefits does not suffice.

Keywords

Spatial general equilibrium; market imperfections; magnetic levitation; The Netherlands

1 Introduction

When considering the effects of transport infrastructure, three types of distinctions can be made: direct and indirect effects, market and non-market or external effects, and temporary and permanent effects.

Temporary effects are those that will only occur during construction. Permanent effects are related to the use of the infrastructure.

Permanent direct effects consist of exploitation cost and revenues and transport cost and time benefits for people and freight (care should be taken to avoid the double-counting of benefits). Permanent indirect effects relate, firstly, to the backward expenditure effects of the exploitation of infrastructure and, secondly, to programme or induced effects. The latter are defined as the consequences of the reduction in transport cost for production and location decisions of people and firms, and the

¹ Respectively, professor and assistant professor of spatial economics, University of Groningen. Address: Department of Economics, Postbus 800, 9700 AV Groningen, The Netherlands, fax: +31-50-363.7337, email: oosterhaven@eco.rug.nl.

subsequent redistribution effects between regional economies with respect to income and employment of the population at large (Rietveld and Nijkamp, 2000). Naturally, these supply-driven induced effects in turn will also have demand effects. In addition to effects through markets there will be effects that are external to the market, such as noise, safety, emissions and environmental disturbances (in general see Rothengatter, 2000; for the indirect energy use and emissions of different freight transport systems see, for example, Bos, 1998).

This contribution deals with the permanent indirect effects of transport infrastructure. It thus discusses the measurement of one of the most contentious items in a social cost-benefit analysis of transport infrastructure projects (cf. SACTRA, 1999, CPB/NEI, 2000).

In Section 2, a brief overview will be given of various methodological approaches to tackle this complicated problem. It will appear that a spatial computable general equilibrium (SCGE) approach offers the best perspective for future research. In Section 3, empirical results will be presented of an SCGE model applied to four different magnetic levitation (Maglev) proposals for the Netherlands. In Section 4, the main conclusions from the literature survey and the empirical work will be summarised.

2 Methods to estimate the economic impacts of new infrastructure

2.1 Introduction

There is a large amount of literature on the indirect economic impacts of infrastructure (for overviews see Vickerman, 1991 and Rietveld and Bruinsma, 1998) as well as a large variety of methods to estimate these impacts (for overviews see Oosterhaven et al., 1998, and Rietveld and Nijkamp, 2000). In this section, the following approaches will briefly be reviewed: micro surveys with firms, estimations of quasi production functions, partial equilibrium potential models, regional and macro economic models, land-use/transport interaction (LUTI) models and spatial computable general equilibrium (SCGE) models.

2.2 Micro surveys with firms

There is a rich theoretical literature on the influence of infrastructure and accessibility on the location decisions of firms. This literature started around 1900 with emphasising the importance of minimising transport cost. This is not surprising in view of the high absolute and relative transport cost of that time. Present literature tends to de-emphasise the importance of transport cost as compared to other costs such as labour cost (Dicken, 1986). An interesting extension is McCann (1998), who replaces the concept of transport cost with that of logistic costs and argues that the latter play a central role in locational decisions of most large multinational firms. Empirical research seems to substantiate this for the case of the Netherlands (BCI/NEI, 1997). The large Dutch share in the total of all European Distribution Centres may mainly be explained by its low logistic cost to the rest of Europe, due to

the port of Rotterdam and Schiphol Airport transport networks and transfer facilities. The literature mentioned does not serve to answer the empirical question about the impact of specific types of infrastructure in specific locations (Oosterhaven et al., 1998). For this aim, micro surveys with firms provide more answers. There are two strands within this line of research.

First, one finds a series of general surveys with questions about the importance of all kinds of location factors, including infrastructure accessibility. Naturally, the answers differ from country to country, as firms are confronted with different locational bottlenecks in different countries, and tend to bias their answers in the direction of those location factors that they want to see improved. Also, the answers differ according to the type of firms/sectors that are interviewed, as different sectors have different cost profiles and different market positions. The conclusion seems to be that centrality and the reliability of access are important, but not the actual transport cost. In fact, for most sectors, Europe presents a rather level playing field within which secondary and even subjective factors of location play an increasing role (see Pellenbarg, 1998).

The second strand of micro surveys tries to investigate the historical or future impacts of specific investments. The outcome of this type of research is often rather dubious, since the purpose of the surveys is seldom hidden, and firms tend to answer positively even if the project at hand is of little importance to their own firm. Such strategic and socially desirable answers are very difficult to evade (see NEI/TNO/RUG, 1999, for ways to circumvent some of these problems). Besides, when different variants of the same infrastructure are under investigation, a questionnaire approach becomes unwieldy. In addition, it should be noted that micro surveys do not indicate which firms (further away) are indirectly influenced by the actions of the directly affected firms (closer by).

2.3 Estimations of quasi production functions

In macroeconomics, the infrastructure debate started with the claim that the productivity decline in the U.S.A. was caused by a lack of investment in infrastructure (Aschauer, 1989). Since then a whole series of articles appeared that partly substantiated and more often weakened the original statement. The most common approach is the quasi production function approach:

$$Y_r^t = f(L_r^t, K_r^t, Infrastructure\ stock_r^t) \quad (1)$$

Apart from labour (L) and capital (K) per region or nation and per time period, several components – or the total stock – of infrastructure are included in a macro production function in order to explain the level or the change of domestic output (Y). This approach has a number of difficulties.

1. There are complicated econometric issues, relating to the one-sided nature of either the time series data (only data on different t 's) or the cross section data (only data on different r 's) that are used most often (see Sturm, 1998, for an overview).
2. The direction of causality is not easily detected statistically, as infrastructure may both follow and lead economic growth. To sort out the causality issue observations on a number of spatial units over a very long period of time (both t 's and r 's) are needed, but these are hardly available (see Van Ewijk *et al.*, 2000, for a recent Dutch attempt).

3. Measurements of the infrastructure stock fail to take account of the actual supply of infrastructure services that determine its productivity contribution (for instance, infrastructure 'white elephants' are part of the stock but do not produce services).
4. Historically found macro elasticities are of no use when a decision about specific individual projects has to be taken, as such projects are both specific in type (line or point infrastructure, etc.) and specific in their location within the network.

As a result of these difficulties, no clear conclusion about the effects of infrastructure investment has been reached. Macro production elasticities of infrastructure are found to vary considerably among the different studies. In many studies they are found to be insignificant, and in some studies even to be negative (see Sturm, 1998, for an overview).

2.4 Partial equilibrium potential models

The inability to deal with the multi-regional use of infrastructure is probably the fundamental flaw of the stock measures for spatial units in (1). This problem may be solved if a detailed spatial division of the study area is used, and if a measure of economic accessibility is determined for each region r (for overviews see Jones, 1981 and Rietveld and Bruinsma, 1998):

$$Accessibility_r = \sum_s Y_s f(c_{rs}) \quad (2)$$

In (2), f is a downward sloping (gravity or preferably entropy) function of the communication cost between region r and region s (c_{rs}). The inverse of (2) gives the economically weighted average communication cost or distance of location r to the total study area. Obviously, (2) allows approximating the increase in economically useful infrastructure services available to a certain region that will result from investing in specific lines or nodes of the networks included. Moreover, (2) also shows that not only the region where the actual investment takes place will profit from improved accessibility. In fact, a whole series of regions/nations will profit from any investment as indicated by the summation and the distance function.

Using (2), the economic potential concept provides an approximation of the significance of changes in accessibility for the economy of the region at hand:

$$Potential_r = Y_r \sum_s Y_s f(c_{rs}) \quad (3)$$

This almost directly follows from the fact that equation (3) is proportional to the total flow of traffic or trade from region r to the whole of the study area (see Jones, 1981). This in turn is proportional to the total size of the economy of region r .

Evers *et al.* (1987) and Evers and Oosterhaven (1988) were the first to use (3) to estimate the economic impacts of new infrastructure. They turned a variant of (3) with border dummies and a modal split parameter into a multi-sectoral potentials model, and used it to estimate the employment impacts of a proposed high-speed rail connection from Amsterdam to Hamburg. Their approach was shown to produce the 'right' spatial pattern of impacts but not necessarily the right macro level of these impacts (Rietveld, 1989). Later on, Bröcker (1995) showed that the gravity type of the spatial impact pattern could also be produced by the even more satisfactory use of an SCGE model.

2.5 Regional and macro economic models

Incorporating equation (2) in equation (1) provides a solution to the last two problems of the quasi production function approach. To solve the first two problems a structural equation approach is needed. The conceptual basis of a more comprehensive approach is given in Figure 1 (adapted from FNEI, 1984, and Rietveld and Nijkamp, 2000). The dotted arrow represents the direct cross-effect of (generalised) transport cost savings on the demand for all non-transport products, whereas the other arrows represent the indirect economic effects of these savings. The origin of these effects is transport cost and time savings.

FIGURE 1 A conceptual model of transport infrastructure impacts




Figure 1 demonstrates that new or improved infrastructure may have positive as well as negative economic effects. For some sectors and products increased accessibility may boost a region's exports, whereas for other sectors and products it may lead to increased competition on its home market and a contraction of local output, income and employment. Both positive and negative effects may well be enhanced because of (firm internal) economies of scale. These findings will be further modified and complicated because of inter-industry and consumption demand feedbacks, which may lead to further (external) cluster and agglomeration economies for other, not directly affected firms.

As may be clear from Figure 1, regional and national economic models need to be multi-sectoral in order to capture the sectorally different nature of the primary impacts of infrastructure. Also the exogenous cost reduction impulse needs to be calculated in such a way that the sectorally different impact on import, export and domestic prices will be captured. Hence, a detailed transport module is needed to generate this information. But even then, regional and national economic models will suffer from a lack of spatial dimension, except for the presence of imports from and exports to the rest of the world. Consequently, they will still have great difficulty to differentiate the impact of transport infrastructure investments between regions.

2.6 LUTI and SCGE models

It has been argued above that spatially detailed models provide the only way to adequately model the economic impact of new transport infrastructure. In this section, two broad classes of such models will be discussed and compared, namely land-use/transport interaction (LUTI) models and spatial computable general equilibrium (SCGE) models.

LUTI models consist of linked transport models and 'land-use', or better: location models. They mostly use a system dynamics type of modelling and are primarily developed to predict future growth and to analyse policy scenarios for large urban conglomerations (for example, Lee *et al.*, 1995). There is a whole series of such models for different conglomerations. LUTI models have a decades long history of gradual development and are nowadays typically very disaggregated with numerous spatial zones, sectors, household types, transport motives, modes of transport, etc. (for overviews see DSC/ME&P, 1998 and Wilson, 1998).

SCGE models typically are comparative static equilibrium models of interregional trade and location, based in microeconomics, using utility and production functions with substitution between inputs. Firms may operate under economies of scale in markets with monopolistic competition of the Dixit-Stiglitz (1977) type. Empirical applications of this last approach are found in Venables and Gasiorok (1996) and Bröcker (1999). Interesting theoretical simulations with an SCGE model with a land market are found in Fan *et al.* (1998). These models are part of the new economic geography school (Krugman, 1991, Fujita *et al.*, 1999) and are around for less than a decade. In other words, a mature methodology, possibly at the end of its life cycle, and a new methodology that is still in its infancy will be compared.

The practical feasibility of LUTI models is large. Especially the transport sub-models are known to be rather adequate in estimating all kinds of transport price and quantity impacts of policy measures in the transport sector itself. Given the theoretical uncertainty around the location behaviour of firms and the decrease of the relative cost of freight transport over time, this adequacy does not hold to the same degree for the impact of transport measures on the location of industrial activities. Since the relative time cost of passenger transport has been increasing over time, due to increased congestion and rising real incomes, the location of service activities can be explained much better. However, as the location of most service activities primarily follows that of people and industrial activities, its location choices mainly play a role at the intra-urban level. Consequently, the strength of LUTI models especially lies in estimating the impact on intra-urban location decisions rather than in estimating the interregional location effect of transport measures.

Finally, most LUTI models are not well equipped to translate the impacts of transport and infrastructure measures into estimates of consumer benefits, as is needed in a sound cost-benefit analysis (CBA), which is one that is underpinned by welfare theory. In the best LUTI models consumer choices relating to transport and location decisions are modelled and estimated by means of a discrete random utility approach. By contrast, producer location decisions are seldom modelled by means of discrete profit maximising behaviour, while producer production and price decisions tend to be modelled by fixed ratios. As a consequence, most LUTI models provide reasonable estimates of direct transport user benefits, and reasonable estimates of consumer

benefits in as far as the latter are based on discrete choice behaviour. The existing LUTI models, however, are not able to estimate transport benefits that are based on continuous consumer choices or discrete and continuous producer choices.

SCGE models, typically, are theoretically well suited for this evaluation task (see also Venables and Gasiorek, 1998). The SCGE modelling problem, at the moment, is not theoretical in nature, but empirical and computational. The consistent estimation of all the necessary consumers' and producers' substitution elasticities is problematic, if only because of the lack of adequate data and the lack of a tradition of estimating such elasticities at the regional level. Moreover, the calibration of these models such that they reproduce recent history and simultaneously provide plausible (that is, stable) projections is problematic too, especially because of the highly non-linear character of the behavioural equations. Another problem is that SCGE models are not yet easily understood, making it difficult for policy makers and other researchers to assess whether the results are valid.

Whether LUTI models can easily incorporate imperfect markets, and internal and external economies or diseconomies of scale, is doubtful. The strength of most LUTI models lies in their segmentation and detail, that is, they usually contain many different zones, transport modes, household types, firm types, and so on. The benefit of having such detail lies in the homogeneity of behaviour and the assumed stability of relations at that level of detail. But this detail is achieved at the cost of mathematical and theoretical simplicity, such as perfect competition, fixed ratios, linear relations and the absence of scale economies.

The present, still young SCGE models have opposite properties, namely a lack of detail and sound empirical foundation, but a sophisticated theoretical foundation and rather complex, non-linear mathematics. The latter is precisely the reason why SCGE models are able to model (dis)economies of scale, external economies of spatial clusters of activity, continuous substitution between capital, labour, energy and material inputs in the case of firms, and between different consumption goods in the case of households. Moreover, monopolistic competition of the Dixit-Stiglitz type allows for heterogeneous products implying variety, and therefore allows for cross hauling of close substitutes between regions. Finally, SCGE models lead to a direct estimation of especially the non-transport benefits of new infrastructure, which are absent in most LUTI models.

Whether a further piecemeal improvement of LUTI models is preferable to the implementation of a theoretically superior, but yet untested alternative, is essentially a matter of taste and belief. DSC/ME&P (1998) confess to the piecemeal improvement strategy. The further segmentation they call for may be necessary for the 'best' estimation of the impacts of transport policies, but it is not sufficient for the 'best' estimation of the indirect transport benefits needed for CBA. The latter requires modelling, not only of discrete choice, but also of continuous responses of consumers and producers based on, respectively, utility maximising and profit maximising assumptions. Here, the more promising but also more risky start of empirically based SCGE modelling, as illustrated in the next section, is advocated.

3 Application of the SCGE model

3.1 The Maglev rail investigations

The Dutch government has contemplated the construction of two magnetic levitation rail ('Maglev') projects, each with two variants: (1) an inner ring and an outer ring respectively connecting the four largest cities (Amsterdam, The Hague, Rotterdam and Utrecht) in the heavily urbanised economic core in the West of the Netherlands; and (2) a direct connection between Schiphol Airport in the West and Groningen City in the more peripheral, rural North, either running along the south-east or along the north-west of the 'IJsselmeer', a large lake in the middle of the country. The research concerning these Maglev proposals was part of larger investigations considering different routes, different service levels (frequencies, schedules, waiting times), different price levels as well as different rail systems (also intercity and high-speed rail).

Each proposal has been evaluated in relation to three baseline scenarios. This contribution limits itself to the Maglev results evaluated in relation to the European Co-ordination (EC) scenario of the Central Planning Bureau (CPB, 1997). With the help of regional employment allocation and regional population projection models the total number of people and jobs expected in 2020 from CPB (1997) has been divided over the 548 municipalities in the Netherlands (see TNO et al., 2000). The EC baseline scenario further consists of a projected rail and road network for 2020 with travel times and volumes for 2020 (see further Elhorst et al., 2000).

It has been assumed that the Maglev project proposals primarily lead to exogenous changes in the travel time matrix of public transport. Only the results obtained at prevailing prices of public transport are considered here (these prices are distance-dependent and in the case of Maglev of first-class level). Table 1 gives the representative travel times between the major cities for each proposal. The table demonstrates that total travel time by Maglev falls below the travel time by car on several connections, even at non-peak hours, which is quite unique for a public transport system. It also demonstrates that the travel time reduction is far more significant for the core-periphery projects than for the urban conglomeration projects. In addition, it is taken into account that the frequency of regular trains on some competing, existing rail links decreases due to a reduction of the expected number of passengers and that travel times by car along the corridor of the new rail links improve due to reduced congestion.

TABLE 1 Average travel time (in minutes) between main cities along the proposed trajectories ¹⁾


Core-periphery projects		Car	Public T. Baseline	South-east	North-west
Groningen-	A'dam Airport	135	173	100	96
Urban-conglomeration projects		Car	Public T. Baseline	Inner ring	Outer ring
Amsterdam-	The Hague	51	98	87	98
The Hague-	Rotterdam	33	55	51	54
Rotterdam-	Utrecht	64	75	74	61
Utrecht-	Amsterdam	40	76	76	76

¹⁾ Including entering and egressing time to and from stations of departure and arrival.

3.2 Indirect economic impacts: methodology

As shown in Figure 2, the indirect economic effects in this study have been modelled as two independent main effects and two derived interaction effects, in both cases one on labour supply and one on labour demand.

FIGURE 2 Modelling scheme for calculating indirect economic effects in the Maglev application.



The first main effect (arrow 1) relates to housing migration of the working population. When travel times diminish due to improvements in the transport network, people may increase the quality of their housing accommodation and living environment, by increasing their commuting journey length, without changing their commuting journey time. This principle has been used to develop a commuter location model that takes actual commuting behaviour, measured by a commuting journey time distribution matrix, as given, and then assigns the jobs in each employment

municipality to the same or other residential municipalities (see Elhorst and Oosterhaven, 2002, for details)¹. Furthermore, it is recognised that municipalities may have a different attractiveness as a residential area, which may be measured by either the number of houses or the available land (excluding water). The number of houses best approximates the existing physical possibilities to live within a municipality. For this reason, this variable is suitable to test the fit of the model. It appeared that – with this attractiveness variable – the working population living in the 12 NUTS-2 and the 40 NUTS-3 regions of the Netherlands could be estimated with an average error of 7%². The available land better approximates the spatial preferences of people. Research has shown that the majority of the working population has a preference for more comfortable houses built on larger lots in neighbourhoods with more green (Elhorst et al., 1999). For this reason, the available land is more suitable to simulate longer run residential changes, provided that the housing market has time to adjust itself to the changes in the transport system and to these residential preferences.

The second main effect (arrow 2) relates to travel cost induced employment changes. If the transport costs of factor inputs and outputs change differentially in different locations, the optimal location of the firm would be expected to change. Transport at the firm level will include freight transport, personal business travel and shopping travel by the customers of the firm. In this investigation, a bi-modal (commodities/people) transport cost mark-up on f.o.b. prices has been used:

$$p^* = [f_c(d_c)]^\pi \cdot [f_p(d_p)]^{1-\pi} \cdot p, \quad (4)$$

where p gives the share of commodity transport and $1-p$ the share of business/shopping travel in the total transport cost per sector. The following functional form of f is assumed:

$$f(d) = 1 + \vartheta \cdot d^\omega, \quad (5)$$

where ϑ and ω denote parameters to be estimated for freight and business/shopping travel and d denotes distance. For freight, the 548×548 municipality-by-municipality distance matrix has been used. For people, the 548×548 travel time matrix by car during normal hours and the 548×548 travel time matrix by public transport have been used weighted by their modal shares in business/shopping travel. Note that in the project variants only the latter matrix changes and that the modal shares change due to substitution between the two modes of transport.

- 1 The commuting time distribution matrix used gives the percentage of commuters by mode (car during peak hours, public transport and slow transport), by time class (25 classes of 5 minutes) and by type of municipality (four biggest cities, municipalities with a railway station and municipalities without a railway station). The total matrix is based on more than 70,000 observations (CBS, 1999). Shifts within this matrix occur when people change their mode of transport and when municipalities are connected to the railway network. Modal substitution has been modelled with the help of an almost ideal demand system (see Elhorst and Oosterhaven, 2002). The matrix itself is assumed not to change over time, since the time that an average individual spends on travel remained remarkably stable over long periods of time, despite enormous increases in incomes and average speed of transport (SAC-TRA, 1999).
- 2 'NUTS': Nomenclature of Territorial Units for Statistics (established by the European Union).

Imperfect competition in transport-using sectors is an important reason why traditional location approaches may produce inaccurate estimates. In the long run, changes in market access lead to entry and exit. When inter-industry linkages are reckoned with, forward and backward linkages lead to cluster and agglomeration effects. In general, a more integrated market tends to support more firms, which charge lower prices, produce at a larger scale, and offer a wider variety of products. To estimate these effects a spatial computable general equilibrium model (RAEM) has been developed (see Oosterhaven and Knaap, 2002, for details)³. Its basic structure resembles a similar model developed for the European Union by Bröcker (1999), but the model used here is more detailed in that fourteen different sectors have been specified and that trading relations between production sectors in different regions are estimated on bi-regional input-output data (RUG/CBS, 1999). The fourteen sector-specific elasticities of substitution and the four parameters of the transport cost markup (4)-(5) have been calibrated to the EC baseline scenario for 2020. The SCGE model forecasts production and employment for each municipality in the EC baseline scenario and for each project variant. The difference is used as an estimation of the travel cost induced employment effects. In addition, the SCGE calculates the welfare effect of a project variant. This is conceived of as the increase in utility that is achieved within the country by the lower price index of consumption and the larger variety of consumption goods available at the local level.

The first derived effect (arrow 3) relates to labour migration of the mobile part of the working population caused by employment changes determined in the SCGE model. The residential locations of these labour migrants are again estimated with the commuter location model. Note in this respect that the commuter location model predicts housing migration as a result of reduced travel times starting with a given level employment in each municipality (arrow 1), whereas this run of the commuter location model measures labour migration as a result of changes in employment opportunities (arrow 3). Total labour supply effect is the sum of housing migration and labour migration (arrow 1+3).

The second derived effect (arrow 4) relates to consumption-induced employment changes caused by the total migration of workers. Due to a lack of data, this effect is not determined at the level of the 548 municipalities, but at the level of the 40 NUTS-3 regions in the Netherlands, using a 40x40 employment multiplier matrix of working migrants (see Oosterhaven, 2001, for details). This matrix is also based on the 14 bi-regional input-output tables of the twelve provinces in the Netherlands and the greater Amsterdam and greater Rotterdam regions (RUG/CBS, 1999, Eding *et al.*, 1999). The total labour demand effect is the sum of the travel cost-induced and consumption-induced employment effect (arrow 2+4).

3.3 Indirect economic impacts: main empirical results

The objective of the urban conglomeration Maglev proposals is to strengthen the competitive position of the heavily urbanised core in the west of the Netherlands, the so-called Randstad. It has been found that, due to the redistribution of labour demand

3 'RAEM' is the Dutch language acronym of SCGE. At the moment RAEM is being further developed together with TNO Inro (Delft) and the Free University of Amsterdam.

within the Netherlands (arrow 2+4), employment in the Randstad will increase by 2,400 jobs in the inner variant and by 2,750 jobs in the outer variant.⁴ When looking at other regions and at intra-regional changes within the Randstad, it is found that the urban rail link strengthens the process of sub-urbanisation. Within the four large agglomerations, the central municipalities of Amsterdam, Rotterdam, The Hague and Utrecht experience a population decrease, whereas their surrounding municipalities close to a Maglev station experience a population increase. This sub-urbanisation process also extends to the regions adjacent to the Randstad. These regions experience a decrease in the number of jobs, whereas their population increases. By contrast, the peripheral North of the Netherlands hardly benefits from a fast rail link within the Randstad, neither in terms of employment nor in terms of population.

The first objective of the core-periphery project between the Randstad and the peripheral north is to stimulate the economy of the latter. It has been found that employment in the north (arrow 2+4) will increase by 3,950 jobs in the south-east variant and by 8,050 jobs in the north-west variant. The working population (arrow 1+3) will increase by 4,000 people in the south-east variant and by 9,400 people in the north-west variant. In sum, the north indeed catches up. Furthermore, it may be concluded that the north-west variant is approximately twice as effective as the south-east variant, and that the core-periphery projects are far more effective in creating jobs in the north than the urban conglomeration projects.

The second objective of the core-periphery project is to relieve the (land, traffic and labour) market pressures in the Randstad. In the south-east variant 7,045 people will leave the Randstad, whereas in the north-west variant the working population in the Randstad will increase by 100 people. It implies that in this case the south-east variant is far more effective.

3.4 Labour market effects


The shifts in labour supply and labour demand have an impact on the spatial efficiency of the Dutch labour market, as illustrated by arrow 5 and 6 in Figure 2. An unemployment-vacancy regime switch model has been developed to estimate these effects. Its basic assumption is that labour surplus regions operate in the horizontal part of their labour supply curve, whereas labour shortage regions are assumed to operate in the vertical part of their labour supply curve.

First, interregional shifts in labour demand may generate geographical matching job or productivity (dis)benefits if – keeping regional labour supply constant – they improve (worsen) the match between demand and supply on regional labour markets (arrow 5). The four different cases are recorded in Figure 3:

1. *Job benefits* occur when labour demand shifts to regions with a supply surplus. The increase in labour demand can be realised by mobilising school-leavers, unemployed and inactive working age population without raising the regional wage rate.
2. *Productivity benefits* occur when labour demand shifts to regions with a supply shortage. Withdrawal of labour from other economic activities will occur due to the

⁴ From an international viewpoint, employment in the Randstad further increases by about 1,300-1,420 jobs (BCI, 2001). In the present discussion, these international results are not used any further.

FIGURE 3 The effects of interregional labour demand shifts when labour supply is immobile



bidding up of wages. This wage increase then will lead to a reduction in other economic activities in the same region whose labour productivity is lower. Consequently, it is not employment, but regional wages and labour productivity that increase.

3. *Job disbenefits* occur when labour demand decreases in regions with a supply surplus. Unemployment will rise without affecting the regional wage rate. The equilibrium shifts to the left along the horizontal part of the labour supply curve.
4. *Productivity disbenefits* occur when labour demand decreases in regions with a supply shortage. The number of vacancies will decrease because less productive, formerly unfilled vacancies can now be filled. This has the effect of diminishing regional productivity, as a result of which labour wages will fall. The equilibrium shifts down-wards along the vertical part of the labour supply curve.

It should be stressed that these geographical matching benefits only occur when labour is immobile. In the empirical application this is assumed to be the case for people with primary and secondary education. Furthermore, in the empirical analysis the assumption made is that the productivity (dis)benefits amount to only 10% of the job (dis)benefits. This is based on a high elasticity of the regional demand for labour, which is plausible because of easy inter-regional substitution.

Second – given regional labour demand – firms may be able to access a larger pool of workers when commuting distances increase, which generates what has been indicated as geographical size benefits (arrow 6, Figure 2). Qualitative size benefits may occur as firms access better suiting skills. Quantitative size benefits may occur if unfilled vacancies are filled.

In the empirical analysis the qualitative benefits have been approximated by the willingness to commute over longer distances. The latter has been estimated by the number of workers crossing the borders of the 40 NUTS-3 regions and by the assumptions that in 10% of these cases firms are able to access better suited skills and that labour productivity due to these better matches increases by 10%.

As far as the quantitative size (dis)benefits are concerned, again four different cases might occur. If commuting flows shift between regions which both have a labour demand or a labour supply surplus, the number of vacancies at the national level remains the same. If commuting flows shift from regions with a labour supply surplus to regions with a labour demand surplus, the number of vacancies decreases. Conversely, the number of vacancies increases. Just as with the geographical matching (dis)benefits, these quantitative size (dis)benefits only occur when labour is immobile. Within this labour segment, the size of these (dis)benefits further depends on the size and the willingness of the inactive part of the working age population to commute.

The labour market imperfections modelled by means of the above regime switch approach lead to both volume and price effects. The volume effects are found to be negative for the urban agglomeration project (-1,300 jobs for the inner ring and -2,000 for the outer ring variant). This is due to the fact that this project increases the pressure on the already tight Randstad labour market and increases unemployment in the rest of the country. By contrast, the volume effects of the core-periphery project are found to be positive (+ 3,900 jobs for the north-west and + 3,200 for the south-east variant). The main reason here is the mirror of the one above. The smaller price effects will be discussed in the overall evaluation in the next paragraph.

It is to be noted that the above approach only offers a first approximation of the efficiency effects on the labour market. Both sets of four cases assume a behavioural regime switch between labour supply surplus and supply shortage regions, while the UV or Beveridge curve assumes a convex relationship. One improvement in future research would be to incorporate the labour market within the SCGE model using the job search approach of Pissarides (2000) (see van Ommeren *et al.*, 2002, for an outline).

3.5 Direct versus indirect versus additional economic benefits

The above interregional labour demand and supply shifts and the national total of the regional employment and productivity changes can only be compared with each other, as well as with the direct transport benefits, when the framework of a cost-benefit analysis is used to value all these effects. In CBA's it is usually assumed that all non-transport markets are working perfectly, and that there are no international effects. The direct transport benefits, in such cases, are simply passed on through different markets, and end up in increases or decreases of aggregate consumers' welfare. This means that the analyst can limit him/herself to a – partial – CBA of transport costs and benefits and of the external effects, since the indirect economic impacts do not produce additional benefits or costs (SACTRA, 1999; CPB/NEI, 2000).

Using a purely theoretical model, Newbery (quoted from SACTRA, 1999) argues that the potential bias due to the prevalence of imperfect competition in CBA's is generally too small to worry about, as the truly additional benefits only amount to 2.5% of the direct transport benefits. By contrast, Venables and Gasiorek (also SACTRA, 1999), using a more elaborate theoretical model, find that most model permutations show additional benefits of around 30%, and that only a few exceed 60%. However, empirical evidence corroborating these ratios is lacking. Moreover, both approaches assume a market-clearing labour market.⁵ The present study offers the first possibility to underpin these opinions with empirical data.

To secure the comparability and additionality of the results, they are all valuated using the same valuation rules (NEI, 2000, 2001). Thus, it is assumed that the construction of the new rail infrastructure takes place over the period 2010-2015 and that the exploitation revenues and time benefits start at 100% from 2016 onwards. Total indirect economic effects are assumed to arise over a five-year period, starting at 20% in 2016 and reaching 100% in 2020. The net present value (NPV) is calculated for 2010 (in prices of 2000), using a social discount rate of 4% over a 30-year period (2010-2040). The direct transport benefits reported in Table 2 consist of exploitation revenues and travel time benefits. The exploitation revenues have been calculated at prevailing distance-dependent prices in public transport by first class. The time benefits of commuting trips in public transport have been calculated assuming a value of time of 7.00 euro per hour in 2000, two trips a day, 220 working days each year, and annual growth rate of 1.1%.⁶ The time benefits of non-commercial social trips have been calculated starting with a value of time of 4.30 euro per hour in 2000, 285 trip days, and a growth rate of the value of time of 0.6%.

TABLE 2 Direct (transport) and indirect (wider economic) benefits of four Dutch Maglev proposals ¹⁾

	Inner urban ring Randstad	Outer urban ring Randstad	Schiphol-Groningen, north-west	Schiphol-Groningen, south-east
Direct transport benefits ²⁾	3,457	5,499	2,627	3,305
Indirect product markets benefits	54	80	151	284
Net geographical job benefits	- 487	- 904	2,278	1,715
Net geographical productivity benefits	143	231	- 431	- 334
Qualitative labour matching benefits	51	59	9	7
Quantitative labour matching benefits	- 250	- 306	162	266
Ratio of additional to direct benefits in %	- 14%	- 15%	83%	59%

¹⁾ Net present value in 2010, millions of euro, price level 2000, discount rate 4%.

²⁾ Exclusive of effects on congestion.

- 5 Newbery also does not deal with additional welfare gains accruing from linkage effects and agglomeration effects and the entry and exit of firms (SACTRA, 1999, p. 101).
- 6 In the EC baseline scenario the real wage rate increases by 1.7% each year. HCG (1998) has estimated that the income elasticity of the value of time for commuting trips is approximately 0.65. Consequently, the value of time grows by 1.1% each year in the EC scenario.

The total consumer surplus of commercial and shopping trips has been calculated using the SCGE model, and an annual growth rate of 1.6%. This last estimate has been split up between direct transport benefits (exploitation revenues and time benefits) and the additional benefits due to increased competition and more variety in product markets. Table 2 shows the direct transport benefits to be largest in the longer Outer Randstad ring project and smallest in the north-west Schiphol-Groningen project that runs along the least populated cities. The additional benefits due to product market imperfections are rather small compared to the direct benefits, but relatively large in the case of the core-periphery project (namely 5.6% and 8.6%) and very small for the urban agglomeration projects (around 1.6%). This difference is due to regional differences in the ratio of price to marginal cost, which (in the SCGE model) has been estimated to be less than 1.2 for core regions and more than 1.3 for peripheral regions, whereas that ratio would be 1.0 under universal perfect competition.⁷

The labour market efficiency benefits have been calculated assuming that the proportion of people with primary and secondary education is 65%, that labour productivity grows at 2.3% each year, and that a job produces a net value added of €36,192 for all types of workers and of €29,218 for a worker with primary or secondary education in 2000. Volume (employment) effects, already discussed, appear to be far more important than price (productivity and qualitative matching) effects. The largest price effects, found for the core-periphery projects, are negative as several core regions with labour supply shortages experience a decline in productivity due to a drop in labour demand.

In short, the results for the urban conglomeration proposals and those for the core-periphery proposals in Table 2 are widely different. These differences are mainly explained by the fact that the core regions are more densely populated and have projected labour supply shortages in 2020, whereas the peripheral regions are more sparsely populated and are projected to have labour supply surpluses. Taking all results together, the last line of Table 2 shows the additional benefits to be between +59% and +85% of the direct transport benefits in the case of the core-periphery projects and to be around -15% in the case of the urban conglomeration projects.⁸ These results are clearly different from those in the theoretical studies of Newbery, and Venables and Gasiorsek described above. The idea that the additional benefits are too small to worry about must be rejected. Even more interestingly, although the phenomenon of negative additional benefits is recognised, both studies were not able to specify the circumstances under which this phenomenon might occur. It may, therefore, be concluded that the empirical study yields important findings that, up to now, are thought impossible and prove that Newbery's critique of including market imperfections was rather premature.

7 These figures are comparable to those found by Harris (1.16 to 1.29, see SACTRA, 1999).

8 If housing market imperfections, international redistribution of economic activity and external effects (congestion, and CO₂ and NO_x emissions) are included, the size of additional benefits even increases to 80-98% of the direct benefits for the core-periphery projects and becomes a positive 3-10% for the urban conglomeration projects (Elhorst *et al.*, 2002).

4 Conclusion

In this contribution an overview has been given of the different approaches found in the literature for estimating the economic impacts of investments in transport infrastructure. From this overview it is concluded that land-use/transport interaction (LUTI) models provide the best-tested approach, which is most suited for infrastructure issues at the level of large urban conglomerations. Spatial computable general equilibrium (SCGE) models provide a theoretically more satisfying approach, which is especially suited to model the interregional impacts of new or improved transport infrastructure at the larger spatial scale of entire countries.

In the empirical application, the first Dutch SCGE model (RAEM) has been combined with three ad hoc models. Ideally, all these models need to be incorporated into one single SCGE model. The present results, nevertheless, convincingly show the need of incorporating an analysis of (labour) market imperfections into the evaluation of infrastructure investments. They also show that a simple uniform multiplier to derive the additional economic benefits from the direct transport benefits does not suffice, as the ratio of the additional to direct benefits is strongly dependent on the type of regions connected and the trajectory at hand, as well as on the type of market imperfections and the general state of the economy.

Finally, to all, policy makers as well as researchers, who may find SCGE models not easily accessible: there is, unfortunately, no simple solution to cracking the problem of estimating indirect economic impacts

Acknowledgements

The authors thank Jan-Egbert Sturm for his help with the literature overview, and Thijs Knaap, Ward Romp and Eduard Gerritsen for their help with the empirical application. Institutionally, the application has been made in close co-operation with TNO Inro (Delft) and the Netherlands Economic Institute (Rotterdam). Data on travel times have been made available by AND Data Solution, the Hague Consultancy Group and our students. The studies have been supported by grants from the Ministry of Transport. The authors are grateful to all these people and organisations. The authors, nevertheless, remain fully and solely responsible for the content and the conclusions of this contribution.

References to chapter 8

ASCHAUER, D.A., 1989. Is Public Expenditure Productive?, *Journal of Monetary Economics* 23, 177-200.

BCI/NEI, 1997. *Ruimtelijke-economische verkenning van de Toekomstige Nederlandse Luchtvaart Infrastructuur*, Nijmegen.

BCI, 2001. *Strategische internationale effectenstudie Rondje Randstad*. Nijmegen.

BRÖCKER, J., 1995. Chamberlinian Spatial Computable General Equilibrium Modelling: A Theoretical Framework, *Economic Systems Research* 7, 137-149.

BRÖCKER J., 1999. *Trans-European effects of 'Trans-European Networks': A Spatial CGE Analysis*, Mimeo, University of Technology, Dresden.

BOS, S., 1998. *Direction Indirect, The indirect energy requirements and emissions from freight transport*, PhD thesis, University of Groningen.

CBS, 1999. *De Mobiliteit van de Nederlandse Bevolking in 1998*, Voorburg/Heerlen.

Centraal Planbureau (Central Planning Bureau, CPB), 1997. *Economie en Fysieke Omgeving, Beleidsopgaven en Oplossingsrichtingen 1995-2020*, The Hague.

CPB/NEI, 2000. *Evaluatie van Infrastructuur Projecten. Leidraad voor Kosten-Batenanalyse*, The Hague.

DSC/ME&P, 1998. *Review of Land Use/Transportation Interaction Models*. Report to SACTRA, UK Department of Transport, Environment and the Regions.

DICKEN, P., 1986. *Global Shift: Industrial Change in a Turbulent World*, Harper & Row, New York.

DIXIT, A.K., STIGLITZ, J.E., 1977. Monopolistic competition and optimum product diversity, *American Economic Review* 67, 297-308.

EDING, G.J., OOSTERHAVEN, J., VET, B. DE, NIJMEIJER, H., 1999. Constructing Regional Supply and Use Tables: Dutch Experiences. In: Hewings, G.J.D., Sonis, M., Madden, M., Kimura, Y. (eds), *Understanding and Interpreting Economic Structure*, Berlin, Springer, 237-63.

ELHORST J.P., OOSTERHAVEN J., SIJTSMA F., STELDER D., 1999. Welfare Effects of Spatial Deconcentration: A Scenario for the Netherlands, *Tijdschrift voor Economische en Sociale Geografie* 90, 17-31.

ELHORST J.P., KNAAP T., OOSTERHAVEN J., ROMP W., STELDER T.M., GERRITSEN E., 2000. *Ruimtelijk Economische Effecten van Zes Zuiderzeelijn Varianten*, REG-publication 22, University of Groningen.

ELHORST J.P., OOSTERHAVEN, J., 2002. *Modelling the Impacts of Transport Cost Changes on Residential Choice and Commuting*, Mimeo, University of Groningen.

ELHORST, J.P., OOSTERHAVEN, J., ROMP, W.E., 2002. *Integral assessment of infrastructure projects under market imperfections*, Mimeo, University of Groningen.

EVERS, G.H.M., MEER, P.H. VAN DER, OOSTERHAVEN, J., POLAK, J.B., 1987. Regional impacts of new infrastructure: A multi-sectoral potentials approach, *Transportation* 14, 113-26.

EVERS, G.H.M., OOSTERHAVEN, J., 1988. Transportation, frontier effects and regional development in the Common Market, *Papers of the Regional Science Association* 64, 37-51.

EWIJK, C. VAN, HAKFOORT, J., SCHNIEDERS, R., 2000. Infrastructuur en regionale groei; een empirisch onderzoek voor Nederland, 1973-1993, *Maandschrift Economie* 66, 357-83.

- FAN, W., TREYZ, F., TREYZ, G., 1998. Towards the Development of a Computable Geographic Equilibrium Model, Paper to the North American RSAI Meetings, Santa Fe.
- FNEI, 1984. *Economische betekenis van transportinfrastructuur*, Federatie van Noordelijke Economische Instituten, Groningen.
- FUJITA, M., KRUGMAN, P.R., VENABLES, A.J., 1999. *The Spatial Economy, Cities, Regions and International Trade*, MIT, Cambridge, MA.
- HCG, 1998. *Value of Dutch Travel Time Savings in 1997*, The Hague, Report 6098.
- JONES, S.R., 1981. *Accessibility measures, A literature review*, Transport and Road Research Laboratory, Crowthorne.
- KRUGMAN, P., 1991. *Geography and Trade*, MIT and Leuven University, London.
- LEE, S.Y., HAGHANI, A.E., BYAN, J.H., 1995. *Simultaneous Determination of Land Use and Travel Demand with Congestion: A System Dynamics Modeling Approach*, TRB paper No. 950716, Washington D.C.
- MCCANN, P., 1998. *The Economics of Industrial Location: A Logistics-Costs Approach*, Springer, Heidelberg.
- NEI/TNO/RUG, 1999. *Fundamenteel voorwaarts. Naar een praktisch werkbare en theoretisch gefundeerde benadering van voorwaartse economische effecten*, Rotterdam.
- NEI, 2000. *KBA van een snelle verbinding naar het Noorden*, Rotterdam.
- NEI, 2001. *KKBA van een snelle verbinding tussen de vier grote steden: 'Rondje Randstad'*, Rotterdam.
- OMMEREN, J.N. VAN, RIETVELD, P., WOUDEBERG, S., 2002. *The effect of infrastructure improvement on regional labour markets: a multiregional equilibrium job search model*, Mimeo, Free University Amsterdam.
- OOSTERHAVEN, J., STURM, J.E., ZWANEVELD, P., 1998. *Naar een theoretische onderbouwde aanpak van voorwaartse economische effecten: Modelmatige definitie*, Delft.
- OOSTERHAVEN, J., 2001. *Spatial Interpolation and Decomposition of Multipliers*, Paper presented at the 48th North American Meetings of the RSAI, Charleston, SC, November 15-17.
- OOSTERHAVEN, J., KNAAP, T., 2002. Spatial Economic Impacts of Transport Infrastructure Investments. In: Pearman, A., Mackie, P., Nellthorp, J., Giorgi, L. (eds), *Transport Projects, Programmes and Policies: Evaluation Needs and Capabilities*, Ashgate (forthcoming).
- PELLENBARG, P.H., 1998. Het huidige belang van infrastructuur en vervoer voor regionale en nationale vestigingsbeslissingen. In: Elhorst, J.P., Strijker, D. (eds), *Het economisch belang van het vervoer; Verleden, heden en toekomst*, REG-publicatie 18, Stichting Ruimtelijke Economie, Rijksuniversiteit Groningen, 51-65.
- PISSARIDES C., 2000. *Equilibrium unemployment theory*, 2nd edition, Oxford, Basic Blackwell.
- RIETVELD, P., 1989. Employment effects of changes in transportation infrastructure: Methodological aspects of the gravity model, *Papers of the Regional Science Association* 66, 19-30.
- RIETVELD, P., BRUINSMA, F., 1998. *Is Transport Infrastructure Effective? Transport Infrastructure and Accessibility: Impacts on the Space Economy*, Springer, Berlin.
- RIETVELD P., NIJKAMP P., 2000. Transport Infrastructure and Regional Development. In: Polak J.B., Heertje A. (eds), *Analytical Transport Economics. An International perspective*, Cheltenham, Elgar, 208-232.

ROTHENGATTER, W., 2000. External Effects of Transport. In: Polak, J.B., Heertje, A. (eds), *Analytical Transport Economics. An International perspective*, Cheltenham Elgar, 79-116.

RUG/CBS, 1999. *Regionale Samenhang in Nederland, Bi-regionale Input-output Tabellen en Aanbod- en Gebruiktabellen voor de 12 Provincies en de Twee Mainport Regio's*, REG-publicatie 20, Stichting Ruimtelijke Economie, Rijksuniversiteit Groningen.

SACTRA, 1999. *Transport and the Economy*, Standing Advisory Committee on Trunk Road Assessment, TSO, London.

STURM, J.E., 1998. *Public Capital Expenditure in OECD Countries: The Causes and Impact of the Decline in Public Capital Spending*, Cheltenham, Elgar.

TNO, RUG, VU, TUD, 2000. *Indirecte Effecten Zuiderzeelijn, Hoofdrapport*, Delft.

VENABLES, A.J., GASIOREK, M., 1996. *Evaluating Regional Infrastructure: A Computable Equilibrium Approach*, Mimeo, Report to the European Union.

VENABLES, A.J., GASIOREK, M., 1998. *The Welfare Implications of Transport Improvements in the Presence of Market Failure*, Mimeo, Report to SACTRA.

VICKERMAN, R.W. (ed.), 1991. *Infrastructure and Regional Development*, Pion, London.

WILSON A.G., 1998. Land-use/Transport Interaction Models, Past and Future, *Journal of Transport Economics and Policy* 32, 3-26.